

Modeling and Measuring Graph Similarity: The Case for Centrality Distance

Matthieu Roy
LAAS-CNRS
Toulouse, France
roy@laas.fr

Stefan Schmid
TU Berlin & T-Labs
Berlin, Germany
stefan@net.t-labs.tu-berlin.de

Gilles Tredan
LAAS-CNRS
Toulouse, France
gtredan@laas.fr

ABSTRACT

The study of the topological structure of complex networks has fascinated researchers for several decades, and today we have a fairly good understanding of the types and reoccurring characteristics of many different complex networks. However, surprisingly little is known today about models to compare complex graphs, and quantitatively measure their similarity.

This paper proposes a natural similarity measure for complex networks: *centrality distance*, the difference between two graphs with respect to a given node centrality. Centrality distances allow to take into account the specific roles of the different nodes in the network, and have many interesting applications. As a case study, we consider the closeness centrality in more detail, and show that closeness centrality distance can be used to effectively distinguish between randomly generated and actual evolutionary paths of two dynamic social networks.

Categories and Subject Descriptors

J.4 [Computer Applications]: Social and Behavioral Sciences

General Terms

Algorithms

Keywords

Complex Networks; Graph Similarity; Centrality; Dynamics; Link Prediction

1. INTRODUCTION

How similar are two graphs G_1 and G_2 ? Surprisingly, today, we do not have good measures to answer this question. In graph theory, the canonical measure to compare two graphs is the *Graph Edit Distance* (GED) [8]: informally, the GED $d_{GED}(G_1, G_2)$ between two graphs G_1 and

G_2 is defined as the minimal number of *graph edit operations* that are needed to transform G_1 into G_2 . The specific set of allowed graph edit operations depends on the context, but typically includes some sort of node and link insertions and deletions.

While graph edit distance metrics play an important role in computer graphics and are widely applied to pattern analysis and recognition, we argue that the graph edit distance is not well-suited for measuring similarities between natural and complex networks. The set of graphs at a certain graph edit distance d from a given graph G , are very diverse and seemingly unrelated: the characteristic structure of G is lost.

A good similarity measure can have many important applications. For instance, a similarity measure can be a fundamental tool for the study of dynamic networks, answering questions like: *Do these two complex networks have a common ancestor?* Or: *What is a likely successor network for a given network?* While the topological properties of complex networks have fascinated researchers for many decades, (e.g., their connectivity [1, 14], their constituting motifs [13], their clustering [18] or community patterns [3]), today, we do not have a good understanding of their dynamics over time.

Our Contributions. This paper initiates the study of graph similarity measures for complex networks which go beyond simple graph edit distances. In particular, we introduce the notion of *centrality distance* $d_C(G_1, G_2)$, a graph similarity measure based on a *node centrality* C .

We argue that centrality-based distances are attractive similarity measures as they are naturally *node-oriented*. This stands in contrast to, e.g., classic graph isomorphism based measures which apply only to anonymous graphs; in the context of dynamic complex networks, nodes typically do represent real objects and are not anonymous!

We observe that the classic graph edit distance can be seen as a special case of centrality distance: the graph edit distance is equivalent to the centrality distance where C is simply the degree centrality, henceforth referred to as the *degree distance* d_{DC} . We then discuss alternative centrality distances and, as a case study, explore the *closeness distance* d_{CC} (based on closeness centrality) in more detail.

In particular, we show that closeness distance has interesting applications in the domain of dynamic network prediction. As a proof-of-concept, we consider two dynamic social networks: (1) An evolving network representing the human mobility during a cocktail party, and (2) a Facebook-like Online Social Network (OSN) evolving over time. We show

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or to publish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

FOMC'14, August 11, 2014, Philadelphia, PA, USA.

Copyright is held by the owner/author(s). Publication rights licensed to ACM.

ACM 978-1-4503-2984-2/14/08 ...\$15.00.

<http://dx.doi.org/10.1145/2634274.2634277>.

that actual evolutionary paths are far from being random from the perspective of closeness centrality distance, in the sense that the distance variation along evolutionary paths is low. This can be exploited to distinguish between fake and actual evolutionary paths with high probability.

Examples. To motivate the need for graph similarity measures, let us consider two simple examples.

EXAMPLE 1.1 (LOCAL/GLOBAL SCENARIO). We consider three graphs G_1, G_2, G_3 over five nodes $\{v_1, v_2, \dots, v_5\}$: G_1 is a line, where v_i and v_{i+1} are connected in a modulo manner; G_2 is a cycle, i.e., G_1 with an additional link $\{v_1, v_5\}$; and G_3 is G_1 with an additional link $\{2, 4\}$.

In this example, we first observe that G_2 and G_3 have the same graph edit distance to G_1 : $d_{\text{GED}}(G_1, G_2) = d_{\text{GED}}(G_1, G_3) = 1$, as they contain one additional edge. However, in a social network context, one would intuitively expect G_3 to be closer to G_1 than G_2 . For example, in a friendship network a short-range “triadic closure” [10] link may be more likely to emerge than a long-range link: friends of friends may be more likely to become friends themselves in the future. Moreover, more local changes are also expected in mobile environments (e.g., under bounded human mobility and speed). As we will see, the centrality distance concept introduced in this paper can capture such differences.

EXAMPLE 1.2 (EVOLUTION SCENARIO). As a second artificial and very simple example, in this paper we will consider two graphs G_1 and G_2 , where G_1 is a line topology and G_2 is a “shell network”, shown in Figure 1. We ask the question: what is the most likely evolutionary path that would lead from the G_1 topology to G_2 ?

Note that the graph edit distance does not provide us with any information about the likely *evolutionary paths* from G_1 to G_2 , i.e., on the order of the edge insertions: there are many possible orders in which the missing links can be added to G_1 , and these orders do not differ in any way. In reality, however, we often have some expectations on how a graph may have evolved between the two given snapshots G_1 and G_2 . For example, applying the triadic closure principle to our example, we would expect that the missing links are introduced one-by-one, from left to right. A similar evolution may also be predicted by a temporal preferential attachment model [14]: the degree of the most highly connected node is likely to grow further in the future.

The situation may look different in a technological, man-planned network. For example, adding links from left to right only slowly improves the “routing efficiency” of the network: after the addition of t edges from left to right, the longest shortest path is $n - t$ hops, for $t < n - 1$. A “better” evolution of the network can be obtained by adding links to the middle of the network, reducing the much faster in the beginning: after t edge insertions, the distance is roughly reduced by a factor t .

2. MODEL AND BACKGROUND

This paper focuses on *named* (a.k.a. labeled) graphs $G = (V, E)$: graphs where vertices $v \in V$ have unique identifiers and are connected via undirected edges $e \in E$. We focus on *node centralities*, centralities assigning “importance values” to nodes $v \in V$.

DEFINITION 2.1 (CENTRALITY). A centrality C is a function $C: (G, v) \rightarrow \mathbb{R}^+$ that takes a graph $G = (V, E)$ and a vertex $v \in V(G)$ and returns a positive value $C(G, v)$. The centrality function is defined over all vertices $V(G)$ of a given graph G . Although we here consider named graphs, we require centrality values of vertices to be independent of the vertex’s identifier, i.e., centralities are unchanged by a permutation of identifiers: given any permutation π of $V(G)$, $\forall v \in V(G), C(\pi(G), \pi(v)) = C(G, v)$, where $\pi(G) = (V(G), \{(\pi(v), \pi(v')) : (v, v') \in E(G)\})$.

Centralities are a common way to characterize complex networks and their vertices. Frequently studied centralities include the *degree centrality* (DC), the *betweenness centrality* (BC) and the *closeness centrality* (CC), among many more. A node is DC-central if it has many edges: the degree centrality is simply the node degree; a node is BC-central if it is on many shortest paths: the betweenness centrality is the number of shortest paths going through the node; and a node is CC-central if it is close to many other nodes: the closeness centrality measures the inverse of the distances to all other nodes. Formally:

1. *Degree Centrality:* For any node $v \in V(G)$ of a network G , let $\Gamma(v)$ be the set of neighbors of node v : $\Gamma(v) = \{w \in V \text{ s.t. } \{v, w\} \in E\}$. The *degree centrality* DC of a node $v \in V$ is defined as: $\text{DC}(G, v) = |\Gamma(v)|$.
2. *Betweenness Centrality:* For any pair $(v, w) \in E(G)$, let $\sigma(v, w)$ be the total number of different shortest paths between v and w , and let $\sigma_x(v, w)$ be the number of shortest paths between v and w that pass through $x \in V$. The betweenness centrality BC of a node $v \in V$ is defined as: $\text{BC}(G, v) = \sum_{x, w \in V} \sigma_x(v, w) / \sigma(v, w)$. As a slight variation from the classic definition, we assume that a node is on its own shortest path: $\forall v, w \in V^2, \sigma_v(v, w) / \sigma(v, w) = 1$. We adopt the convention: $\forall v \in V, \sigma_v(v, v) / \sigma(v, v) = 0$. The reason of this variation will become clear in the next section.
3. *Closeness Centrality:* The *closeness centrality* CC of a node $v \in V$ is defined as: $\text{CC}(G, v) = \sum_{w \in V \setminus v} 2^{-d(v, w)}$.

By convention, we define the centrality of a node with no edges to be 0. Moreover, throughout this paper, we will define the graph edit distance between two graphs G_1 and G_2 as the minimum number of operations to transform G_1 into G_2 (or vice versa), where an *operation* is one of the following: link insertion, link removal, node insertion, node removal.

3. GRAPH DISTANCES

We now introduce our centrality-based graph similarity measure. We will refer to the set of all possible topologies by \mathcal{G} , and we will sometimes think of \mathcal{G} being a graph itself: the “graph-of-graphs” which connects graphs with graph edit distance 1. Figure 2 illustrates the concept.

DEFINITION 3.1 (CENTRALITY DISTANCE). Given a centrality C , we define the *centrality distance* $d_C(G_1, G_2)$ between two neighboring graphs as the *component-wise difference*:

$$\forall (G_1, G_2) \in E(\mathcal{G}), d_C(G_1, G_2) = \sum_{v \in V} |C(G_1, v) - C(G_2, v)|.$$





Figure 1: *Left: Local/Global Scenario:* G_1 is a line graph, G_2 and G_3 are obtained from G_1 by adding a link. *Right: Evolution Scenario:* G_1 describes a line graph, G_2 describes a shell graph.




Figure 2: *Left:* The graph-of-graph \mathcal{G} connects two named networks (represented as stars). Two networks are neighboring iff they differ by a graph edit distance of one. The centrality distance defines a distance for each pair of neighboring graphs. *Right:* Two possible evolutionary paths from a line graph G_1 to a shell graph G_2 .

This definition extends naturally for non-neighboring graph couples: the distance $d_C(G_1, G_2)$ between G_1 and G_2 is simply the graph-induced distance.

As we will see, the *distance axioms* are indeed fulfilled for the major centralities. The resulting structure supports the formal study with existing algorithmic tools. Let us first define the notion of *sensitivity*.

DEFINITION 3.2 (SENSITIVE CENTRALITY). A centrality C is sensitive if any single edge modification of any graph G changes the centrality value of at least one node of G . Formally, a centrality C is sensitive iff

$$\forall G \in \mathcal{G}, \forall e \in E(G), \exists v \in V(G) \text{ s.t. } C(G, v) \neq C(G \setminus \{e\}, v),$$

where $G \setminus \{e\}$ is the result of removing edge e from G .

LEMMA 3.3. DC, BC and CC are sensitive centralities.

It is easy to see that also other centralities, such as cluster centralities and Page Rank centralities are sensitive. The distance axioms now follow directly from the graph-induced distance.

THEOREM 3.4. For any centrality C , d_C is a distance on \mathcal{G} iff C is sensitive.

The centrality distance metric of Definition 3.1 however comes with the drawback that it is expensive to compute. Thus, we propose the following approximate version:

DEFINITION 3.5 (APPROXIMATE CENTRALITY DISTANCE). Given a centrality C , we define the approximate centrality distance $\widetilde{d}_C(G_1, G_2)$ between any two graphs as the component-wise difference:

$$\forall (G_1, G_2), \widetilde{d}_C(G_1, G_2) = \sum_{v \in V} |C(G_1, v) - C(G_2, v)|.$$

Note that $\widetilde{d}_C \leq d_C$ always holds. As we will see, while the approximate distance can be far from the exact one in the worst case, it features some interesting properties.

4. EXAMPLE: CLOSENESS DISTANCE

To illustrate the concepts, we will follow the example of a topological evolution changing a line graph into a shell graph (depicted in Figure 2 (right)). This figure shows two different paths: A incrementally connects node v_1 to node v_i for $i = 3, \dots, n$, whereas path B dichotomically connects v_1 to nodes $v_n, v_{n/2}, v_{3n/4}, v_{n/4}, v_{7n/8}, v_{5n/8}, \dots$




Figure 3: Evolution of closeness centrality distance d_{CC} from G_L to G_S for $n = 40$. Dichotomic and incremental paths are depicted in Figure 2 (right). Both order define a different path in \mathcal{G} from G_L to G_S . At each step, the closeness centrality-induced distance between G_i and G_{i-1} is computed.

4.1 Degree Distance

As a baseline and for comparison with alternative centralities, we will consider the degree distance $d_{DC}(G_1, G_2)$: the distance between two graphs simply counts the number of different edges. We first make the simple observation that the number of graph edits is equivalent to the differences in the centrality vectors.

OBSERVATION 1. The graph edit distance is equivalent to the degree distance, i.e., $d_{GED} \equiv d_{DC}$.

This connection is established by the topological shortest path in the graph-of-graphs \mathcal{G} . Let us consider our example from Figure 2 (right): Since all paths from G_1 to G_2 which

do not introduce unnecessary edges have the *same cost*, the order in which edges are inserted is irrelevant. From a d_{GED} perspective the incremental (*left*) and the dichotomic (*right*) paths of Figure 2 (*right*) are equivalent.

We make the following observation:

OBSERVATION 2. *The degree distance resp. graph edit distance does not provide much insights into graph evolution paths: essentially all paths have the same costs.*

4.2 Closeness Distance

Intuitively, a high closeness distance indicates a large difference in the distances of the graph. The closeness distance d_{CC} has some interesting properties. For example, the shortest path in the graph-of-graph is connected to the topological shortest path. In particular, if two graphs are related by inclusion, the shortest closeness path is also a topological shortest path, as shown in the following.

THEOREM 4.1. *Let G_1 and G_2 two graphs in \mathcal{G} such that $E(G_1) \subset E(G_2)$. Then all the topological shortest paths (i.e. paths that only add edges from G_1 to G_2) are equivalent for closeness.*

The inclusion property is a relevant property in many temporal networks, e.g., where links do not age (e.g. if an edge denotes that u has ever met/traveled/read v).

To give some intuition of the closeness distance, Figure 4 plots the evolution of the distance terms over time. As we can see, in the dichotomic order, first longer links are added, while the first incremental steps are more or less stable.

The dichotomic path has the larger impact on the dynamic graph’s shortest path distances. This indicates that the closeness distance could even be used for “greedy routing”, in the sense that efficient topological evolutions can be computed by minimizing the distance to a target topology.

5. EXPERIMENTAL CASE STUDIES

This section studies the power and limitation of closeness distance empirically, in two case studies: the first scenario is based on a data set we collected during a cocktail party and models a human mobility pattern; the second scenario is based on an evolving online social network (OSN) data set which is publicly available.

Datasets. The first case study is based on the **SOUK** dataset [9]. This dataset captures the social interactions of 45 individuals during a cocktail, see [9] for more details. The dataset consists in 300 discrete timesteps, describing the dynamic interaction graph between the participants, one timestep every 3 seconds.

The second case study is based on a publicly available dataset **FBL** [15], capturing all the messages exchanges realized on an online Facebook-like social network between roughly 20k users over 7 months. We discretized the data into a dynamic graph of 187 timesteps representing the daily message exchanges among users. For each of these two graphs series, we compare each graph G_t with the subsequent one: $G_a = G_t, G_b = G_{t+1}$. First, we generate a set S of 200 samples such that $\forall G_2 \in S, d_{\text{GED}}(G_a, G_2) = d_{\text{GED}}(G_a, G_b)$. Then we compare the centrality induced distance d_C from G_a to the samples of S against $d_C(G_a, G_b)$.

Methodology. We study the question whether centrality distances could be used to predict the evolution of a temporally evolving network. To this end, we introduce a simple methodology: We take a graph G_1 and a




Figure 4: Illustration of our methodology: Given an initial graph G_1 , graphs G_i at a given graph edit distance $d_{\text{GED}} = R$ are generated uniformly at random. The actual later graph observed in the experiment is denoted by G_2 . We test the hypothesis that G_2 is closer to G_1 than other graphs G_i with respect to a certain centrality distance d_C .

graph G_2 following G_1 later in time in the given experiment. For these two graphs, the graph edit distance (or “radius”) $R := d_{\text{GED}}(G_1, G_2)$ is determined, and we generate alternative graphs G_i at the same graph edit distance R uniformly at random. We investigate the question whether closeness centrality distance can help to effectively distinguish G_2 from other graphs G_i , in the sense that $d_{\text{CC}}(G_1, G_2) \ll d_{\text{CC}}(G_1, G_i)$ for $i \neq 2$. Figure 4 illustrates our methodology.

Results. Figure 5 (*left*) provides a temporal perspective on the evolution of d_{GED} for both the 300 timesteps of the **SOUK** dynamic graph and the 187 timesteps of the **FB** dataset. Both datasets exhibit very different dynamics: **FB** has a high dynamics for the first 50 timesteps, and is then relatively stable, whereas **SOUK** exhibits a more regular dynamics.

Figure 5 (*right*) presents the results of our experiment on the **SOUK** dataset. It represents the closeness distance d_{CC} from each graph G_t to G_{t+1} in red. The distribution of d_{CC} values from G_t to the 200 randomly sampled graphs of S_{t+1} is represented as follows: the blue line is the median, while the gray lines represent the 5 and 95 percentiles of the distribution. One can observe that although $\forall G_2 \in S_{t+1}, d_{\text{GED}}(G_t, G_2) = d_{\text{GED}}(G_t, G_{t+1})$, most of the time $d_{\text{CC}}(G_t, G_{t+1}) \leq d_{\text{CC}}(G_t, G_2), \forall G_2 \in S_{t+1}$. In other words, most of the times, the measured graph G_{t+1} is closer to G_t in closeness distance than the 5% closest randomly sampled graphs. Figure 6 (*Left*) presents the same results on the **FB** dataset. Here, although most of the time the measured topology is closer in closeness distance, this is mostly true for the first, most dynamic, time steps.

Figure 6 (*right*) provides a more aggregate view of this observation: it shows the rank of $d_C(G_t, G_{t+1})$ in the $\{d_C(G_t, G_2), G_2 \in S_{t+1}\}$ distribution for the closeness (CC) centrality distance for both dynamic graphs. Values are sorted increasingly, so rank 0 represents the smallest. This graph shows that out of the 300 timesteps of **SOUK**, the observed graph is closer than any of the 200 random samples




Figure 5: *Left:* Measured closeness distance d_C from G_t to G_{t+1} (red), and to S_{t+1} sampled graphs (blue: median, bars: 5 and 95 percentiles) over time. *Right:* Temporal representation of the measured closeness distance d_{CC} from G_t to G_{t+1} (red), and to S_{t+1} sampled graphs (blue: median, bars: 5 and 95 percentiles) over time.




Figure 6: *Left:* Temporal representation of the measured closeness distance d_{CC} from G_t to G_{t+1} (red) on the FB dataset, and to S_{t+1} sampled graphs (blue: median, bars: 5 and 95 percentiles) over time. *Right:* CDF of the rank of the measured topology closeness distance among the closeness distances to the sampled equivalent topologies for both datasets.

in 298 timesteps for the closeness distance. The same statement holds for 73% of the 187 snapshots of the FB dataset.

The observation one can draw from this plot is that when we measure the raw evolution of topologies (in terms of degree distance) we only grasp a very incomplete, and rather pessimistic view of the dynamics on both datasets. Compared to a random evolution that would create the same degree distance difference, actual topology evolution leaves most of nodes importance as connectors (closeness distance) unchanged.

6. RELATED WORK

To the best of our knowledge, our paper is the first to combine the important concepts of graph distances and centralities. In the following, we will review the related works in the two fields in turn, and subsequently discuss additional literature on dynamic graphs.

Graph distances. Graph edit distances have been used extensively in the context of inexact graph matchings in the field of pattern analysis. Central to this approach is the measurement of the similarity of pairwise graphs. Graph edit distances are attractive for their error-tolerance to noise.

We refer the reader to the good survey by Gao et al. [8] for more details.

However, we in this paper argue that the graph edit distance fails to capture important semantic differences, and are not well suited to measure similarities between complex networks. Accordingly, we introduce a distance which is based on a parameterizable centrality.

In classic graph theory, notions of similarity often do not take into account the individual nodes. A special case are graph isomorphism problems: The graph isomorphism problem is the computational problem of determining whether two finite graphs are isomorphic. While the problem is of practical importance, and has applications in mathematical chemistry, many complex networks and especially social networks are inherently non-anonymous. For example, for the prediction of the topological evolution of a network such as Facebook, or for predicting new topologies based on human mobility, individual nodes should be taken into account. Moreover, fortunately, testing similarity between named graphs is often computationally much more tractable.

Graph characterizations and centralities. Graph structures are often characterized by the frequency of small patterns called *motifs* [4, 13, 19, 17], also known as

graphlets [16], or *structural signatures* [6]. Another important graph characterization, which is also studied in this paper, are *centralities*. [5] Dozens of different centrality indices have been defined over the last years, and their study is still ongoing, and a unified theory missing. We believe that our centrality distance framework can provide new inputs for this discussion.

Dynamic graphs. Researchers have been fascinated by the topological structure and the mechanisms leading to them for many years. While early works focused on simple and static networks [7], later models, e.g., based on preferential attachment [2], also shed light on how new nodes join the network, resulting in characteristic graphs. Nevertheless, today, only very little is known about the dynamics of social networks. This is also partly due to the lack of good data, which renders it difficult to come up with good methodologies for evaluating, e.g., link prediction algorithms [12, 20].

An interesting related work to ours is by Kunegis [11], who also studied the evolution of networks, but from a spectral graph theory perspective. In his thesis, he argues that the graph spectrum describes a network on the global level, whereas eigenvectors describe a network at the local level, and uses these results to devise link prediction algorithms.

7. CONCLUSION

We believe that our work opens a rich field for future research. In this paper, we mainly focused on closeness distance, and showed that it has interesting properties when applied to the use case of dynamic social networks. However, our early results indicate that other centralities have very interesting properties as well. For instance, it can be seen that using betweenness distance to move from a graph G_1 to a smaller graph G_2 results in the same graph sequence as Newman’s graph clustering algorithms, indicating that betweenness distance can be used to study graph clusterings over time. The properties, opportunities and limitations of alternative centralities will be the main focus of our future work.

Acknowledgments. Stefan Schmid is supported by the DAAD-PHC *PROCOPE* program, the EIT ICT project *Mobile SDN*, and is part of the INP visiting professor program. Gilles Trédan is supported by the DAAD-PHC *PROCOPE* program.

Technical Report. For a full version of this paper, we refer the reader to our [arXiv.org](http://arxiv.org) technical report of the same title.

8. REFERENCES

- [1] BARABÁSI, A.-L., AND ALBERT, R. Emergence of Scaling in Random Networks. *Science* 286 (1999).
- [2] BARABASI, A.-L., AND ALBERT, R. Emergence of scaling in random networks. *Science* 286 (1999).
- [3] BERRY, J. W., HENDRICKSON, B., LAVIOLETTE, R. A., AND PHILLIPS, C. A. Tolerating the community detection resolution limit with edge weighting. In *arXiv* (2009).
- [4] BOCCALETTI, S., LATORA, V., MORENO, Y., CHAVEZ, M., AND HWANG, D.-U. Complex networks: Structure and dynamics. *Physics Reports* 424, 4Ü5 (2006), 175 – 308.
- [5] BRANDES, U., AND ERLEBACH, T. *Network Analysis: Methodological Foundations*. LNCS 3418, Springer-Verlag New York, Inc., 2005.
- [6] CONTRACTOR, N. S., WASSERMAN, S., AND FAUST, K. Testing multitheoretical organizational networks: An analytic framework and empirical example. *Academy of Management Review* (2006).
- [7] ERDOS, P., AND RÉNYI, A. On the evolution of random graphs. In *Math. Inst. Hungarian Academy of Sciences* (1960), pp. 17–61.
- [8] GAO, X., XIAO, B., TAO, D., AND LI, X. A survey of graph edit distance. *Pattern Anal. Appl.* 13, 1 (2010), 113–129.
- [9] KILLIJIAN, M.-O., ROY, M., TRÉDAN, G., AND ZANON, C. SOUK: Social Observation of hUman Kinetics. In *Proc. ACM International Joint Conference on Pervasive and Ubiquitous Computing (UbiComp)* (2013).
- [10] KOSSINETZ, G., AND WATTS, D. J. Empirical analysis of an evolving social network. *Science* 311, 5757 (2006), 88–90.
- [11] KUNEGIS, J. On the spectral evolution of large networks. *PhD thesis* (2011).
- [12] LIBEN-NOWELL, D., AND KLEINBERG, J. The link prediction problem for social networks. In *Proc. 12th International Conference on Information and Knowledge Management (CIKM)* (2003).
- [13] MILO, R., SHEN-ORR, S., ITZKOVITZ, S., KASHTAN, N., CHKLOVSKII, D., AND ALON, U. Network motifs: Simple building blocks of complex networks. In *SCIENCE* (2001).
- [14] NEWMAN, M. Clustering and preferential attachment in growing networks. *Phys. Rev. E* (2001).
- [15] OPSAHL, T., AND PANZARASA, P. Clustering in weighted networks. *Social networks* 31, 2 (2009), 155–163.
- [16] PRZULJ, N. Biological network comparison using graphlet degree distribution. *Bioinformatics* (2007).
- [17] SCHREIBER, F., AND SCHWÖBBERMEYER, H. Frequency concepts and pattern detection for the analysis of motifs in networks. *Transactions on Computational Systems Biology* 3 (2005), 89–104.
- [18] WATTS, D., AND STROGATZ, S. The small world problem. *Collective Dynamics of Small-World Networks* 393 (1998), 440–442.
- [19] WERNICKE, S. Efficient detection of network motifs. *IEEE/ACM Trans. Comput. Biol. Bioinformatics* 3, 4 (Oct. 2006), 347–359.
- [20] YANG, S. H., LONG, B., SMOLA, A., SADAGOPAN, N., ZHENG, Z., AND ZHA, H. Like like alike: joint friendship and interest propagation in social networks. In *Proc. 20th International Conference on World Wide Web (WWW)* (2011), pp. 537–546.